



G1005

5-Port Gigabit Desktop Switch

Key Feature

- Provide 5 10/100/1000Mbps auto-negotiation ports
- Compliant with IEEE802.3, IEEE802.3u, IEEE802.3x, IEEE802.3ab
- Supports MAC address self-learning and auto MDI/MDIX
- Supports full-duplex 802.3x flow control and half-duplex backpressure flow control
- Supports port Inductive Lightning Protection up to 6KV
- Desktop or wall mounting Design , steel case

SPECIFICATION

Product Information

Product Model	G1005
Standards & Protocols	IEEE802.3 IEEE802.3u , IEEE802.3ab, IEEE802.3x
Interface	5*10/100/1000MJ45port (AutoMDI/MDIX)
Dimension	100mm x 64mm X 25mm (LxWxH)
Transfer Method	Store-and-Forward
Address Table	2K
MAC Learning	auto learning / aging
Packet Forwarding Rate	7.44Mpps
Switching Capacity	10Gbps
Power Input	100~240V AC , 50/60Hz
Power Output	5V DC , 0.6A
Operating/Storage Temperature	0° C~40° C -40° C~70° C
Operating/Storage Humidity	10% ~ 90% RH (non-condensing) 5%~90% RH (non-condensing)
Certification	CE , FCC , RoHS , CCC



IP-COM
World Wide Wireless

G1005

5-Port Gigabit Desktop Switch